



Product Catalogue

Series 1



Founded in 1979, Nagor is the only British company dedicated to the specialist design, manufacture and supply of high quality breast implants and related medical devices.

Nagor's commitment to quality is demonstrated by ongoing research and development with investment in manufacturing processes, supported by the most demanding quality control management.

Customer satisfaction has led to an extensive and continually expanding worldwide network of distributor partners in over sixty countries.

Nagor's products are manufactured under a quality management system in accordance with ISO and EN requirements and have received CE certification by examination against the requirements of the Medical Devices Directive (93/42/EEC). Additionally the products are manufactured under a quality system which has been inspected against the US FDA Quality System Regulation (21 CFR part 820).



All dimensions and weights are approximate and slight variations may occur.

Contents

Breast Aesthetics	4
CoGel	6
Impleo	10
GFX	12
RGI	15
Saline-Fill	18
Tissue Expanders	20
Body Aesthetics	26
Testicular Implants	28
Calf Implants	29
Facial Implants	30
Otoplasty	32
Silicone Carving Block	33
Silicone Rods	33
Silicone Sheeting	34
SilGel	35

This document is also available in PDF format from our website www.nagor.com

© Copyright 2009 Nagor Ltd.



Breast Aesthetics

Features

Barrier Layer:

All Nagor Implants are manufactured with high performance silicone elastomer layers to enhance shell integrity and have a unique 360° degree barrier layer to minimise gel diffusion.

Texturing:

Nagotex® is the unique silicone shell surface designed to encourage tissue adherence to promote a clean interface for a more secure fit.

Choice:

Nagor's comprehensive range of breast implants offers to the surgeons 226 options in round and anatomical configurations.

Sizers:

Nagor inflatable sizers are available for every size within the CoGel, GFX and RGI ranges. To order them please add the suffix S to the desired product code.

Range of Round Implants

Profile:	Low	High	Extra High
Textured Surface Form Stable High Cohesive Gel	CoGel-XR	CoGel-XRH	CoGel-XREH <i>On request*</i>
Textured Surface Soft Form Stable High Cohesive Gel 100% Fill	IMP-MR	IMP-HR	IMP-EHR
Textured Surface High Performance Cohesive Gel	GFX-LP	GFX	GFX-EHP
Smooth Surface High Performance Cohesive Gel	RGI-D	RGI-DH	RGI-DEH

* Delivery time will be about 6 weeks

Range of Anatomical Implants


Implant Height:	Low	Moderate	Tall
Textured Surface Form Stable High Cohesive Gel	CoGel-XL	CoGel-XM	CoGel-XA

CoGel

- Nagotex® Textured Surface
- 360° Degree Barrier Shell Technology
- Choice of Anatomical and Round Profiles
- 65 Implant Options in Round and Anatomical Profiles
- Multiple Height Base Width Projection Options
- Form Stable High Cohesive Silicone




Round Low Profile




Product Code	Base Width	Anterior Projection	Weight
CoGel-XR	<i>mm</i>	<i>mm</i>	<i>g</i>
CoGel-XR 100	86	26	100
CoGel-XR 120	91	28	120
CoGel-XR 140	95	29	140
CoGel-XR 160	101	30	160
CoGel-XR 180	106	30	180
CoGel-XR 200	112	30	200
CoGel-XR 230	117	32	230
CoGel-XR 270	121	34	270
CoGel-XR 300	127	35	300
CoGel-XR 340	134	35	340
CoGel-XR 370	136	37	370
CoGel-XR 400	139	38	400
CoGel-XR 440	145	39	440
CoGel-XR 480	150	40	480
CoGel-XR 530	155	41	530
CoGel-XR 580	159	42	580
CoGel-XR 620	160	46	620

Round High Profile




Product Code	Base Width	Anterior Projection	Weight
CoGel-XRH	<i>mm</i>	<i>mm</i>	<i>g</i>
CoGel-XRH 125	86	31	125
CoGel-XRH 150	91	34	150
CoGel-XRH 175	96	36	175
CoGel-XRH 205	101	37	195
CoGel-XRH 235	106	38	230
CoGel-XRH 265	112	41	265
CoGel-XRH 305	116	43	305
CoGel-XRH 345	121	44	345
CoGel-XRH 375	126	45	375
CoGel-XRH 425	131	46	420
CoGel-XRH 475	136	48	470
CoGel-XRH 535	141	50	530
CoGel-XRH 605	147	54	615
CoGel-XRH 665	150	55	665
CoGel-XRH 715	155	56	720
CoGel-XRH 765	160	57	760
CoGel-XRH 795	163	58	790

Anatomical Low Height




Product Code	Base Width	Height	Anterior Projection	Weight
CoGel-XL	<i>mm</i>	<i>mm</i>	<i>mm</i>	<i>g</i>
CoGel-XL 190	95	80	46	185
CoGel-XL 220	100	85	47	215
CoGel-XL 250	105	90	49	240
CoGel-XL 280	115	100	51	280
CoGel-XL 320	120	105	53	320
CoGel-XL 360	125	110	55	355
CoGel-XL 400	130	110	56	400
CoGel-XL 440	135	115	58	440
CoGel-XL 500	140	120	60	495
CoGel-XL 560	145	130	62	565

Anatomical Full Height



Product Code	Base Width	Height	Anterior Projection	Weight
CoGel-XA	<i>mm</i>	<i>mm</i>	<i>mm</i>	<i>g</i>
CoGel-XA 190	95	105	39	190
CoGel-XA 220	100	110	40	220
CoGel-XA 250	105	115	43	250
CoGel-XA 280	115	125	44	280
CoGel-XA 320	120	130	45	320
CoGel-XA 360	125	135	46	360
CoGel-XA 400	130	135	47	400
CoGel-XA 440	135	140	48	440
CoGel-XA 500	140	145	52	500
CoGel-XA 560	145	155	53	560
CoGel-XA 630	155	160	57	630

Anatomical Moderate Height




Product Code	Base Width	Height	Anterior Projection	Weight
CoGel-XM	<i>mm</i>	<i>mm</i>	<i>mm</i>	<i>g</i>
CoGel-XM 190	95	90	42	185
CoGel-XM 220	100	95	43	215
CoGel-XM 250	105	100	45	245
CoGel-XM 280	115	110	47	285
CoGel-XM 320	120	115	49	320
CoGel-XM 360	125	120	51	360
CoGel-XM 400	130	125	52	405
CoGel-XM 440	135	130	53	440
CoGel-XM 500	140	135	56	505
CoGel-XM 560	145	140	58	580

Impleo

- Nagotex® Textured Surface
- 360° Degree Barrier Shell Technology
- Extensive Choice of Fully Filled Profiles and Sizes
- 38 Implant Options in Round Profiles
- Soft Form Stable High Cohesive Silicone



Moderate Range



Product Code	Base Width	Anterior Projection	Weight
IMP-MR	<i>mm</i>	<i>mm</i>	<i>g</i>
IMP-MR 150	94	34	165
IMP-MR 180	100	35	190
IMP-MR 210	105	36	220
IMP-MR 240	110	39	255
IMP-MR 270	112	41	278
IMP-MR 300	116	42	300
IMP-MR 330	120	43	340
IMP-MR 360	123	44	365
IMP-MR 390	127	44	390
IMP-MR 420	131	46	430
IMP-MR 460	136	47	480

High Range



Product Code	Base Width	Anterior Projection	Weight
IMP-HR	<i>mm</i>	<i>mm</i>	<i>g</i>
IMP-HR 150	84	40	150
IMP-HR 180	89	42	180
IMP-HR 210	95	42	210
IMP-HR 240	100	44	240
IMP-HR 270	102	48	270
IMP-HR 300	107	49	300
IMP-HR 330	112	49	330
IMP-HR 360	116	50	360
IMP-HR 390	118	51	375
IMP-HR 420	124	51	425
IMP-HR 460	127	54	460
IMP-HR 520	129	56	505
IMP-HR 560	133	57	550

Extra High Range




Product Code	Base Width	Anterior Projection	Weight
IMP-EHR	<i>mm</i>	<i>mm</i>	<i>g</i>
IMP-EHR 150	82	43	160
IMP-EHR 180	84	46	180
IMP-EHR 210	90	48	210
IMP-EHR 240	94	48	235
IMP-EHR 270	98	49	260
IMP-EHR 300	104	50	290
IMP-EHR 330	109	52	330
IMP-EHR 360	112	54	360
IMP-EHR 390	115	55	400
IMP-EHR 420	119	56	435
IMP-EHR 460	122	58	460
IMP-EHR 520	126	61	520
IMP-EHR 560	130	64	575
IMP-EHR 620	133	66	620

GFX

- Nagotex® Textured Surface
- 360° Degree Barrier Shell Technology
- Extensive Choice of Profiles and Sizes
- 66 Implant Options in Round Profiles
- High Performance Cohesive Silicone



Low Profile



Product Code	Base Width	Anterior Projection	Volume
GFX-LP	<i>mm</i>	<i>mm</i>	<i>ml</i>
GFX-LP 120	92	24	120
GFX-LP 140	96	25	140
GFX-LP 160	102	26	160
GFX-LP 180	107	27	180
GFX-LP 200	113	28	200
GFX-LP 220	118	29	220
GFX-LP 240	123	30	240
GFX-LP 270	128	31	270
GFX-LP 290	130	32	290
GFX-LP 310	135	33	310
GFX-LP 340	143	34	340
GFX-LP 380	148	35	380
GFX-LP 420	153	36	420
GFX-LP 460	158	37	460

High Profile



Product Code	Base Width	Anterior Projection	Volume
GFX	<i>mm</i>	<i>mm</i>	<i>ml</i>
GFX 80	90	16	80
GFX 100	85	26	100
GFX 120	89	30	120
GFX 140	91	31	140
GFX 160	96	32	160
GFX 180	98	34	180
GFX 200	101	36	200
GFX 220	104	37	220
GFX 240	107	37	240
GFX 260	113	38	260
GFX 280	116	39	280
GFX 300	120	40	300
GFX 320	121	39	320
GFX 340	123	40	340
GFX 370	126	40	370
GFX 410	136	40	410
GFX 460	142	42	460
GFX 500	144	44	500
GFX 600	148	52	600
GFX 700	161	55	700
GFX 800	164	60	800

Extra High Profile



Product Code	Base Width	Anterior Projection	Volume
GFX-EHP	<i>mm</i>	<i>mm</i>	<i>ml</i>
GFX-EHP 135	82	38	135
GFX-EHP 155	86	39	155
GFX-EHP 175	94	40	175
GFX-EHP 195	96	41	195
GFX-EHP 215	99	42	215
GFX-EHP 235	101	43	235
GFX-EHP 255	104	44	255
GFX-EHP 275	110	45	275
GFX-EHP 295	112	46	295
GFX-EHP 325	116	46	325
GFX-EHP 345	119	47	345
GFX-EHP 365	121	48	365
GFX-EHP 395	123	49	395
GFX-EHP 425	127	50	425
GFX-EHP 465	135	50	465
GFX-EHP 505	136	53	505
GFX-EHP 555	141	55	555
GFX-EHP 605	142	59	605
GFX-EHP 655	143	64	655
GFX-EHP 705	146	64	705
GFX-EHP 765	149	65	765



RGI


- Smooth Surface
- 360° Degree Barrier Shell Technology
- Extensive Choice of Profiles and Sizes
- 65 Implant Options in Round Profiles
- High Performance Cohesive Silicone

Low Profile



Product Code	Base Width	Anterior Projection	Volume
RGI-D	<i>mm</i>	<i>mm</i>	<i>ml</i>
RGI-D 120	98	19	120
RGI-D 140	100	21	140
RGI-D 160	105	23	160
RGI-D 180	108	25	180
RGI-D 200	111	25	200
RGI-D 220	113	26	220
RGI-D 240	116	27	240
RGI-D 260	119	28	260
RGI-D 280	122	28	280
RGI-D 300	128	28	300
RGI-D 360	142	29	360
RGI-D 400	143	30	400

High Profile



Product Code	Base Width	Anterior Projection	Volume
RGI-DH	<i>mm</i>	<i>mm</i>	<i>ml</i>
RGI-DH 140	91	31	140
RGI-DH 160	96	32	160
RGI-DH 180	98	34	180
RGI-DH 200	101	36	200
RGI-DH 220	104	37	220
RGI-DH 240	107	37	240
RGI-DH 260	113	38	260
RGI-DH 280	116	39	280
RGI-DH 300	120	40	300
RGI-DH 320	121	40	320
RGI-DH 340	123	40	340
RGI-DH 370	126	40	370
RGI-DH 410	136	40	410
RGI-DH 460	142	42	460
RGI-DH 500	144	44	500

Extra High Profile



Product Code	Base Width	Anterior Projection	Volume
RGI-DEH	<i>mm</i>	<i>mm</i>	<i>ml</i>
RGI-DEH 135	83	36	135
RGI-DEH 155	86	37	155
RGI-DEH 175	95	39	175
RGI-DEH 195	96	40	195
RGI-DEH 215	99	41	215
RGI-DEH 235	101	42	235
RGI-DEH 255	105	43	255
RGI-DEH 275	110	44	275
RGI-DEH 295	113	45	295
RGI-DEH 325	115	46	325
RGI-DEH 345	118	47	345
RGI-DEH 365	121	48	365
RGI-DEH 395	123	49	395
RGI-DEH 425	127	50	425
RGI-DEH 465	135	51	465
RGI-DEH 505	136	52	505
RGI-DEH 555	141	53	555
RGI-DEH 605	142	57	605
RGI-DEH 655	143	62	655
RGI-DEH 705	146	63	705
RGI-DEH 765	150	65	765

Saline-Fill

- Choice of Profiles and Sizes
- Smooth Surface
- Textured Surface



Image is for illustration only.

Low Profile



Nagosi [®] Smooth	Nagotex [®] Textured	Base Width	Anterior Proj.	Volume Min.	Max.
SFS-LP	SFX-LP	mm	mm	ml	ml
SFS-LP 120	SFX-LP 120	90	24	120	145
SFS-LP 140	SFX-LP 140	95	25	140	165
SFS-LP 160	SFX-LP 160	100	26	160	185
SFS-LP 180	SFX-LP 180	105	27	180	205
SFS-LP 200	SFX-LP 200	110	28	200	225
SFS-LP 220	SFX-LP 220	115	29	220	245
SFS-LP 240	SFX-LP 240	120	30	240	265
SFS-LP 270	SFX-LP 270	125	31	270	320
SFS-LP 300	SFX-LP 300	135	33	300	350
SFS-LP 340	SFX-LP 340	140	34	340	390
SFS-LP 380	SFX-LP 380	145	35	380	430
SFS-LP 420	SFX-LP 420	150	36	420	470
SFS-LP 460	SFX-LP 460	155	37	460	510
SFS-LP 500	SFX-LP 500	160	38	500	550

High Profile



Nagosi [®] Smooth	Nagotex [®] Textured	Base Width	Anterior Proj.	Volume Min.	Max.
SFS-HP	SFX-HP	mm	mm	ml	ml
SFS-HP 100	SFX-HP 100	84	30	100	130
SFS-HP 125	SFX-HP 125	94	30	125	155
SFS-HP 150	SFX-HP 150	94	35	150	180
SFS-HP 175	SFX-HP 175	97	37	175	205
SFS-HP 200	SFX-HP 200	105	38	200	230
SFS-HP 225	SFX-HP 225	107	40	225	255
SFS-HP 250	SFX-HP 250	110	42	250	280
SFS-HP 275	SFX-HP 275	120	43	275	305
SFS-HP 300	SFX-HP 300	115	45	300	330
SFS-HP 325	SFX-HP 325	120	44	325	355
SFS-HP 350	SFX-HP 350	122	46	350	380
SFS-HP 375	SFX-HP 375	128	47	375	405
SFS-HP 400	SFX-HP 400	129	49	400	430
SFS-HP 425	SFX-HP 425	131	51	425	455
SFS-HP 450	SFX-HP 450	132	52	450	480
SFS-HP 475	SFX-HP 475	137	52	475	505
SFS-HP 500	SFX-HP 500	138	52	500	530
SFS-HP 600	SFX-HP 600	138	62	600	630


Tissue Expanders



Tissue Expanders


- Surface Options
- Inflation Dome Options
- Extension Tube Kit
- High Performance Silicones
- Custom Fabrication Service

Round




Nagosil® Smooth	Nagotex® Textured	Volume	Valve	A	B
TRD	TRD-X	ml	mm	mm	mm
TRD 150	TRD-X 150	150	14	95	40
TRD 200	TRD-X 200	200	14	100	44
TRD 250	TRD-X 250	250	26	110	45
TRD 375	TRD-X 375	375	26	130	50
TRD 500	TRD-X 500	500	26	133	50
TRD 600	TRD-X 600	600	26	140	60
TRD 800	TRD-X 800	800	26	150	65
TRD 1100	TRD-X 1100	1100	26	153	70

Anatomical Moderate Height




Nagosil® Smooth	Nagotex® Textured	Volume	Valve	A	B	C
TM	TM-X	ml	mm	mm	mm	mm
TM 190	TM-X 190	190	26	95	85	45
TM 250	TM-X 250	250	26	100	95	50
TM 300	TM-X 300	300	26	110	105	50
TM 350	TM-X 350	350	26	115	110	50
TM 400	TM-X 400	400	26	125	120	55
TM 500	TM-X 500	500	26	130	125	55
TM 550	TM-X 550	550	26	140	135	56

Anatomical




Nagosil® Smooth	Nagotex® Textured	Volume	Valve	A	B	C
TA	TA-X	ml	mm	mm	mm	mm
TA 200	TA-X 200	200	26	100	105	35
TA 250	TA-X 250	250	26	105	115	40
TA 300	TA-X 300	300	26	110	120	45
TA 350	TA-X 350	350	26	110	125	50
TA 400	TA-X 400	400	26	120	135	45
TA 500	TA-X 500	500	26	130	140	55
TA 550	TA-X 550	550	26	135	145	55
TA 650	TA-X 650	650	26	145	155	55
TA 750	TA-X 750	750	26	145	155	65

Rectangular




Nagosil® Smooth	Nagotex® Textured	Volume	Valve	A	B	C
TRC	TRC-X	ml	mm	mm	mm	mm
TRC 50	TRC-X 50	50	14	35	35	40
TRC 70	TRC-X 70	70	14	55	40	37
TRC 100	TRC-X 100	100	14	60	40	37
TRC 200	TRC-X 200	200	14	85	50	49
TRC 300	TRC-X 300	300	26	100	60	63
TRC 500	TRC-X 500	500	26	150	60	52

Cylindrical Straight




Nagosil® Smooth	Nagotex® Textured	Volume	Valve	A	B
TCY-S	TCY-S-X	ml	mm	mm	mm
TCY-S 100	TCY-S-X 100	100	14	110	35
TCY-S 200	TCY-S-X 200	200	14	140	45
TCY-S 300	TCY-S-X 300	300	26	160	50
TCY-S 400	TCY-S-X 400	400	26	175	60

Cylindrical Curved




Nagosil® Smooth	Nagotex® Textured	Volume	Valve	A	B	C
TCY-C	TCY-C-X	ml	mm	mm	mm	mm
TCY-C 125	TCY-C-X 125	125	14	120	61	35
TCY-C 250	TCY-C-X 250	250	26	145	77	45
TCY-C 450	TCY-C-X 450	450	26	180	93	55

Croissant




Nagosil® Smooth	Nagotex® Textured	Volume	Valve	A	B	C	D
TCS	TCS-X	ml	mm	mm	mm	mm	mm
TCS 125	TCS-X 125	125	14	100	75	70	48
TCS 250	TCS-X 250	250	26	130	93	100	57
TCS 500	TCS-X 500	500	26	170	127	120	78

Calf



Nagosil® Smooth	Nagotex® Textured	Volume	Valve	A	B	C
TCF	TCF-X	ml	mm	mm	mm	mm
TCF 60	TCF-X 60	60	26	175	40	18
TCF 150	TCF-X 150	150	26	215	40	27
TCF 235	TCF-X 235	235	26	245	55	33

Vaginal



Nagosil® Smooth	Volume	Valve	A	B
TEV	ml		mm	mm
TEV 80	80	2-Way Check	80	40

Accessories


Product Code	Discription
TVS	Standard dome valve 26mm with 80mm tube
TVM	Mini dome valve 14mm with 80mm tube

Body Aesthetics



Testicular Implants

- Filler Options
- Size Options
- Low Profile Reinforced Suture Loop
- High Performance Silicones
- 360° Degree Barrier Shell Technology



Gel-Fill


Product Code	Size	A	B
TGI-D		<i>mm</i>	<i>mm</i>
TGI-D-1	Small	26	31
TGI-D-2	Medium	34	39
TGI-D-3	Large	36	42

Firm

Product Code	Size	A	B
TFI		<i>mm</i>	<i>mm</i>
TFI-1	Small	26	31
TFI-2	Medium	34	39
TFI-3	Large	36	42


Calf Implants

- Smooth Surface
- Fill Options
- Gel or Elastomer



Solid Elastomer

Product Code	Size	A	B	C
CFI		<i>mm</i>	<i>mm</i>	<i>mm</i>
CFI-SF	Small	190	56	12
CFI-SM	Large	207	64	16




Gel-Fill

Product Code	Volume	A	B	C
CFI-G		<i>ml</i>	<i>mm</i>	<i>mm</i>
CFI-G 1	55	170	40	17
CFI-G 2	130	215	46	22
CFI-G 3	190	250	56	28

Facial Implants


- Pre Formed Shapes
- Multiple Sizes Available
- Feathered Tapered Edges
- Multiple Perforations
- High Performance Silicone Elastomer

Chin Implant Concave Back




Product Code	Size	A	B	C
CI-CB				
		mm	mm	mm
CI-CB 1	Small	34	15	7
CI-CB 2	Medium	45	17	8
CI-CB 3	Large	48	17	7

Chin Implant Anatomical Contour




Product Code	Size	A	B	C	D
CI-A					
		mm	mm	mm	mm
CI-A 1	Small	56	5	2.5	93
CI-A 2	Medium	58	7	2.5	104
CI-A 3	Large	62	8	2.8	116
CI-A 4	X-Large	59	10	3	118

Malar Implant Standard




Product Code	Size	A	B	C
MI-S				
		mm	mm	mm
MI-S 1	Small	25	19	3
MI-S 2	Medium	30	24	4
MI-S 3	Large	32	24	5

Malar Implant Extended




Product Code	Size	A	B	C
MI-E				
		mm	mm	mm
MI-E 1	Small	36	18	6
MI-E 2	Medium	38	19	6
MI-E 3	Large	43	22	7

Malar Implant Anatomical Contour




Product Code	Size	A	B	C
MI-A				
		mm	mm	mm
MI-A 1	Small	43	21	3
MI-A 2	Medium	50	23	4
MI-A 3	Large	57	25	5

Nasal Implant Dorsal



Product Code	Size	A	B
NI-D		mm	mm
NI-D 1	Small	28	12
NI-D 2	Medium	36	7
NI-D 3	Large	40	7

Nasal Implant Dorsal Columnella



Product Code	Size	A	B	C	D
NI-DC		mm	mm	mm	mm
NI-DC 1	Small	45	34	6	5
NI-DC 2	Medium	40	28	10	3
NI-DC 3	Large	55	35	9	3


Otoplasty

- Available in right and left shapes, lightweight, Soft and pliable

Product Code	Dimensions
OP	
OPR	Right
OPL	Left

Silicone Carving Block

- Smooth and Opaque, Soft, Medium or Hard Options



Silicone Block

Product Code	Size	A	B	C
SB		mm	mm	mm
SB	Soft	120	70	17
MB	Medium	120	70	17
HB	Hard	120	70	17

Silicone Rods


- High Performance Implant Grade Silicone

Product Code	Diameter	Length
NA	mm	mm
NA 515-1	1	300
NA 515-2	2	300
NA 515-3	3	300
NA 515-4	4	300
NA 515-5	5	300
NA 515-6	6	300
NA 515-7	7	300

Silicone Sheeting

- Reinforced or Non Reinforced Options
- Thickness Options

Non Reinforced



Product Code	Thickness	A	B
NA 500	mm	mm	mm
NA 500-1	0.125	200	150
NA 500-3	0.25	200	150
NA 500-5	0.5	200	150
NA 500-7	1.0	200	150
NA 500-9	1.5	200	150

Reinforced

Product Code	Thickness	A	B
NA 501	mm	mm	mm
NA 501-1	0.175	200	150
NA 501-3	0.5	200	150
NA 501-5	0.75	200	150
NA 501-7	1.0	200	150

Silgel®

The Silgel® family of products has been developed to extend the concept of gel therapy by utilising high molecular weight Silicone gel (polysiloxane).

The purity of material used to create Silgel® products and the simplicity of application enhances the product's efficacy and clinical performance

Silgel®

Silgel® products are listed on the UK Drug Tariff Register.

Product Code	Box Quantity	Volume
STC		ml
STC-SE	20 Tubes	20ml Tube

Silgel® Sheet

Silgel® products are listed on the UK Drug Tariff Register.

Product Code	Box Quantity	Dimensions
Square		mm
TGS 1010/10	10 Sheets	100 x 100
TGS 2020/2	2 Sheets	200 x 200
TGS 4040/1	1 Sheet	400 x 400
Rectangular		mm
TGS 1005/20	20 Sheets	100 x 50
TGS 1510/5	5 Sheets	150 x 100
TGS 3005/4	4 Sheets	300 x 50
TGS 3010/2	2 Sheets	300 x 100
Procedure Specific		mm
TGS-AB (<i>Abdominal</i>)	1 Sheet	460 x 85
TGS-M (<i>Sub Mammary</i>)	2 Sheets	Left and Right
TGS-C (<i>Circular</i>)	2 Sheets	55

Custom Fabrication

A customised service to meet individual patients requirements is available upon request. Options include smooth or textured surfaces, gel-filled, posterior ligature loops and tissue expansion devices.

Please contact our
Custom Fabrication Service
tel: +44 (0) 1236 780780
email: enquiries@nagor.com



129 Deedykes View
Westfield Industrial Estate
Cumbernauld, Glasgow
G68 9HN, United Kingdom
Tel: +44 (0) 1236 780780
Fax: +44 (0) 1236 781234
Email: enquiries@nagor.com
www.nagor.com

